

All purpose cleaner  
**AP 100/50 M**



All-purpose touchless cleaning machine

Order no.: 1.007-058.0



**Technical data**

Tank capacity fresh water (l)	100
Tank capacity dirt water (l)	70
Max. pressure (bar)	max. 50
Flow rate l/min	5
Power rating fan (W)	1800
Power rating, pump (W)	370
Length of cord access. (m)	15
Voltage V	230

## Details

### Description

The AP 100/50 M makes regular cleaning of sanitary areas fast, thorough and safe. With a high and low pressure spray lance and wet & dry vacuum cleaner attachment, the AP 100/50 is ideal for regular cleaning of washrooms, changing areas, toilets, kitchens and other sanitary areas, saving time and increasing safety compared to conventional cleaning methods.

---

### Features & Benefits

Fresh water always on-board

Mobile use, independent of water supply.

Includes fill hose for easy filling from the tap.

100 litre water tank.

Cleaning with high pressure

Detergent is delivered via high-pressure pump.

15 m high-pressure hose for large action radius.

Spray lance with high-pressure nozzle as standard. Can be extended with a wide range of accessories, e.g. foam lance.

Detergent perfectly dosed

The AP 100/50 M has on-board storage for two detergent bottles.

Alternate use of detergent and disinfectant.

Detergent can be added via the dosage selector.

Including vacuum function

The washing water can be removed with a wet and dry vacuum if no drain is available.

Can be used by two persons at the same time.

Extremely flexible hose for versatile use.

---

## Accessories

### All-purpose nozzles (wet/dry)

#### All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.



Order no. 6.906-383.0

### Connector

#### Nozzle connector/screw connector

Nozzle connector/screw connector for connecting high-pressure nozzles and accessories to the high-pressure trigger gun (with nozzle connector). Connectors: 1x M 22 x 1.5 and 1x M 18 x 1.5.



Order no. 4.402-022.0

### Cup foam lance

#### Cup foam lance

Short, handy foam lance with adjustable spray angle with 1 litre detergent tank. Ideal for cleaning cars due to its compact design.



Order no. 6.394-668.0

### Easy Press high-pressure gun with holding power reduction (Kärcher patent)

#### Easy press high-pressure trigger gun with softgrip

Easy press high-pressure trigger gun with softgrip. For high-pressure hoses DN 6 and DN 8 with 11 mm swivel diameter.



Order no. 4.775-463.0

### Food industry version

#### High-pressure hose 15 m ID 6, AVS trigger gun connector 11 mm, suitable for food industry, grey

15 m high-pressure hose (DN 6) with patented (rotating) AVS trigger gun connector. Non-discolouring outer layer for use in the food industry. DN 6/155°C/250 bar.



Order no. 6.391-654.0

### Plastic bend

#### Plastic bend

Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.



Order no. 5.031-904.0

## Power nozzle spray angle 40°

### Power nozzle spray angle 40°

Power nozzle with a 40° spray angle and fan jet, suitable for large areas and sensitive surfaces.

Order no. 2.884-525.0



## Repair kits

### Repair set, C 40

Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.

Order no. 2.639-873.0



## Rotating spray lances

### Rotatable lance, 600 mm, ergonomic

600 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.

Order no. 4.760-664.0



## Suction tubes stainless steel

### Suction tube, ID 40

Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.

Order no. 6.902-081.0



## Zubehör für AP

### Suction hose

Order no. 8.633-348.0



### Hard surface and carpet tool

Order no. 2.642-552.0

