

Equipment:

- Flat pleated polyester filter
- Manual filter cleaning system
- Travel drive - forward
- Travel drive, reverse
- Floating main roller brush
- Mobile container
- Bulk waste flap
- Overthrow sweeping principle
- Vacuum
- Outdoor applications
- Indoor applications
- Operating hour meter
- Side brush, can be raised and adjusted

**Order no.: 1.351-108.0****Technical data**

Drive	DC motor
Drive – power	24 V / 750 W
Max. area performance (m ² /h)	3825
Working width (mm)	610
Working width (2)	-
Working width with 1 side brush (mm)	850
Working width with 2 side brushes (mm)	1050
Waste container (l)	50
Hill climbing ability (%)	15
Operating speed (km/h)	4.5
Filter area (m ²)	2.1
Weight (kg)	115
Dimensions (L x W x H) (mm)	1355x910x1155

Features & Benefits

Efficient filter system

2.1 m² filter area.

Manual filter cleaning system.

Washable polyester filter.

Two-wall rotating frame

Robust and corrosion-free.

For the toughest jobs.

Traction drive

With optional reverse gear.

Intuitive operation.

Waste pick up and emptying

Efficient sweeping thanks to large working width.

Also sweeps wet surfaces.

50 litre container for continuous working.

Net capacity up to 100%.

Easy removal thanks to rollers and recessed grips.

Short disposal times.

Waste pick up and emptying

Efficient sweeping thanks to large working width.

Also sweeps wet surfaces.

50 litre container for continuous working.

Net capacity up to 100%.

Easy removal thanks to rollers and recessed grips.

Short disposal times.

Accessories

Batteries

12V/105Ah (C5) battery, maintenance-free

Maintenance-free gel traction battery 12 V/105 Ah (C5). Three are required for operation of a 36 V system.

Order no. 6.654-141.0



Battery

3 pcs required

Order no. 6.654-141.0



Battery Chargers

Charger

For battery 6.654-093

Order no. 6.654-102.0



Chargers

Charger

Order no. 6.654-140.0




Flat pleated filter

Flat pleated filter

Moisture-proof, washable flat pleated filter for Kärcher sweepers. Filter noticeably reduces maintenance costs.

Order no. 5.731-585.0



Inaktiv

High-low adjustment of the roller brush

Order no. 2.640-491.0



Main roller brush, hard

Main roller brush, hard

For the removal of stubborn dirt outdoors

Order no. 6.906-558.0



Main roller brush, soft/natural

Main roller brush, soft/natural

Specially designed with natural bristles for sweeping fine dust on smooth floors indoors


Order no. 6.906-557.0



Other mounting kits

Double filter cleaning mechanism

Order no. 2.851-000.0



Brake

For securely braking on inclines > 2 %

Order no. 2.640-301.0



Side brush, hard

Side brush, hard

Removes stubborn dirt outdoors, moisture-proof, mildly abrasive

Order no. 6.905-625.0



Side brush, soft

Side brush, soft

Moisture-proof, soft side brush for sweeping fine dust on all surfaces indoors and outdoors. Ideal for dirt with a high dust content.

Order no. 6.905-626.0



Standard main roller brushes

Standard roller brush

Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.

Order no. 6.906-508.0



Standard side brushes

Side brush standard

Moisture-proof universal bristles, longlife, suitable for all surfaces

Order no. 6.906-132.0



Traction batteries

Battery

Order no. 6.654-048.0

