

# NT 48/1

Compact 48 litre wet & dry multi-purpose vacuum

## Equipment:

- Suction hose 2.5 m
- Metal suction tube, 2 x 0.5 m
- Filter bag Paper
- Wet and dry floor tool 300 mm
- Crevice tool
- Cartridge filter
- Drain hose
- Bend
- Safety class II
- Caster with brake

Order no.: 1.428-622.0



## Technical data

Air flow rate (l/s)	67
Vacuum (mbar/kPa)	200/20
Container capacity (l)	48
Max. intake performance (W)	max. 1380
Standard nominal size (mm)	35
Length of cord access. (m)	7.5
Sound level (db(A))	72
Container material	
Quantity of motors	1
Frequency (Hz)	50-60
Voltage (V)	220-240
Weight (kg)	10.5
Dimensions (L x W x H) (mm)	490x390x780

## Details

### Description

The NT 48/1 is a high-capacity single motor all-purpose vacuum cleaner for picking up large quantities of wet or dry dirt. It is fitted with an automatic cut out facility for when maximum fluid capacity is reached and a drainage hose for the disposal of all liquids in a safe and clean manner.

---

### Features & Benefits

Container emptying

Easily accessible drain hose for convenient liquid disposal.

Accessory storage

Accessories can be attached to the container at the rear of the machine.

---

## Accessories

### Adapter for electric power tools, clip on, el.

#### Power tool adapter C 35, el.

3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.

Order no. 5.453-042.0



#### Adapter for electric power tools, C 35, el.

Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT-vacuums.

Order no. 5.453-048.0



#### Connecting sleeve for electric tool C 35, el.

Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.

Order no. 5.453-049.0



#### Adapter for electric power tools, C 35, el.

Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT-vacuums.

Order no. 5.453-050.0



#### Connecting sleeve for electric tool C 35, el.

Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.

Order no. 5.453-051.0



#### Connecting sleeve for electric tools C 35, el.

Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.

Order no. 5.453-052.0



### Adapter for electric power tools, screwable

#### Power tool adapter, threaded, DN 35

3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.

Order no. 5.453-016.0



#### Adapter for electric power tools, screwable, ID 35

Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm.

Order no. 5.453-026.0



## Adapter for electric power tools, screwable

### Power tool adapter, threaded, DN 35

Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm. External diameter: 39 mm.

Order no. 6.902-059.0



### Power tool adapter, threaded, DN 35

2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mm Suitable for NT vacuum cleaners.

Order no. 6.902-095.0



## All-purpose brushes

### All-purpose brush

All-purpose brush PPN\_Bristle

Order no. 6.900-425.0



### All-purpose brush

Natural bristles (ox hair), bristle element 120 x 45 mm.

Order no. 6.903-863.0



## All-purpose nozzles (wet/dry)

### Wet and dry floor tool

All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.

Order no. 6.906-512.0



### All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

Order no. 6.903-018.0



### All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.

Order no. 6.906-383.0



## All-purpose nozzles (wet/dry)

### All-purpose nozzle (wet and dry), DN 35

All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.



Order no. 6.906-384.0

### All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.



Order no. 6.906-513.0

### All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.



Order no. 6.906-554.0

## Bend metal

### Bend, DN 35, metal

Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).



Order no. 6.900-519.0

## Bend stainless

### Bend, stainless steel ID 35

Stainless steel and crooked, ID 35



Order no. 6.903-141.0

## Car cleaning nozzles

### Car vacuuming tool, DN 40

Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.



Order no. 6.900-952.0

### Car vacuuming tool DN 35

Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.



Order no. 6.906-108.0

## Cartridge filter paper

### Cartridge filter

Paper cartridge filter with larger filter surface, standard for NT 48/1 and optional for NT 27/1/Me Advanced.



Order no. 6.414-789.0

## Combi-nozzles (dry)

### Combination floor tool (dry)

Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.



Order no. 6.906-511.0

## Connecting sleeve C-DN (clip on taper), EL (electroconductive)

### C-ID 35 adapter

Connects C 35 hose for ID 35, electrically conductive.



Order no. 5.407-112.0

## Connecting sleeves

### Adapter, DN 32/35, with internal thread

Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.



Order no. 6.902-077.0

## Crevice nozzles

### Crevice tool

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.

Order no. 6.900-385.0



### Crevice tool

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.

Order no. 6.900-922.0



### Crevice tool

Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.

Order no. 6.903-033.0



### Crevice tool

Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.

Order no. 6.905-817.0



### Crevice tool ID 35.

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.

Order no. 6.906-240.0



## Crevice tools

### Grout nozzle, synthetic

Grout nozzle, plastic, 370 mm

Order no. 6.900-222.0



## Crevice tools

### Grout nozzle, stainless steel

Grout nozzle, stainless steel, 400 mm

Order no. 6.900-926.0



## Extension hoses (Clip-system)

### Extension hose, C 32, C 35 clip system

Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.

Order no. 6.906-237.0



### Extension hose, C 40

2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.

Order no. 6.906-344.0



## Inaktiv

### Foam filter element

Order no. 5.731-595.0



## Membrane filter / fabric filter

### Membrane/fabric filter

Polyester needle fleece membrane/fabric filter, washable up to 40°C. For NT 27/1/Me Advance, NT 48/1, NT 351 Eco/Professional.

Order no. 6.906-103.0



## Nozzle sets

### Nozzle kit

Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)

Order no. 2.860-116.0



## Other nozzles

### 45° rubber suction nozzle

Angled 45°, for suction of machines, oil-resistant

Order no. 6.902-106.0



### Aluminium surface nozzle

Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper

Order no. 4.130-415.0



## Paper filter (2 ply)

### Paper filter bags

5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.

Order no. 6.904-285.0



## Pipe dusting nozzles

### Pipe dusting nozzle, ID 35

Plastic, pipe diameter 100 mm

Order no. 6.903-035.0



### Pipe dusting nozzle

Plastic, pipe diameter 200 mm

Order no. 6.903-036.0



## Plastic bend

### Plastic bend

Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).

Order no. 5.031-718.0



### Plastic bend

Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.

Order no. 5.031-939.0



### Plastic bend, ID 35

Plastic, ID 35.

Order no. 6.902-009.0



## Radiator brushes

### Radiator brush

Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.

Order no. 6.903-034.0



## Reducer (tube -> nozzle)

### Reducer

Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.

Order no. 6.902-017.0



### Reducer from ID 35 to 32

Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.

Order no. 6.902-072.0



## Repair kits

### Repair set, C 35

Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.

Order no. 2.639-682.0



## Rubber suction tools, nose 45°

### Rubber suction tools, nose 45°

45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.

Order no. 6.902-104.0





## Rubber suction tools, nose 45°

### Rubber suction tools, nose 45°

45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.




Order no. 6.902-105.0

## Rubber tool

### Rubber nozzle, ID 40

Rubber.

Order no. 4.763-057.0



## Set reducing / extension sleeves

### Set reducing / extension sleeves

ID 40/35, ID 35/32 (tube -> nozzle), plastic.

Order no. 2.860-117.0



## Special filter bags, wet filter bags

### Special filter bag, wet filter bag

Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.



Order no. 6.904-211.0

## Suction brushes

### Suction brush

Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.



Order no. 6.903-862.0

## Suction hoses (Clip-system)

### Suction hose

4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.



Order no. 6.906-241.0

### Suction hose

2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.



Order no. 6.906-275.0

### Suction hose (clip system), C 35, el.

4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.



Order no. 6.906-500.0

### Suction hose

With bayonet and clip connection.



Order no. 6.906-714.0

## Suction hoses complete

### Suction hose, complete

Standard, 4.0m, ID 35

Order no. 4.440-287.0



### Suction hose complete, ID 35, 2,5m

Temperature-resistant to 120 °C.

Order no. 4.440-339.0



### Suction hose, complete

Electrically non-conductive suction hose (3.5 m) with DN 27 adapter for power tools at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.

Order no. 4.440-446.0



### Suction hose, complete

Electrically non-conductive suction hose (7 m) with DN 27 power tool adapter at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.

Order no. 4.440-461.0



### Suction hose complete, ID 40, 4 m, el.

Electrically conductive, DN 40, 4 m, non-interchangeable.

Order no. 4.440-558.0



### Suction hose complete, DN 40, 8 m, el.

Electrically conductive, DN 40, 8 m, non-interchangeable.

Order no. 4.440-815.0



### Suction hose, complete

Electrically non-conductive 4.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.

Order no. 4.440-263.0



### Suction hose complete, ID 40, 4 m, oil-resistant,

Oil-resistant.

Order no. 4.440-303.0



## Suction hoses complete (Clip-system)

### Suction hose

2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.



**Order no. 4.440-626.0**

### Suction hose

2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.



**Order no. 4.440-653.0**

## Suction tubes metal

### Suction tube

Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.

**Order no. 6.900-514.0**



### Suction tube

Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.

**Order no. 6.900-275.0**



## Suction tubes plastic

### Suction tube, DN 35

Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.

**Order no. 6.900-384.0**



## Suction tubes stainless steel

### Suction tube, ID 40

Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.

**Order no. 6.902-081.0**



### Suction tube

Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.

**Order no. 6.906-531.0**



### Suction tube, DN 35

**Order no. 6.902-154.0**



## Turbo nozzle

### Turbo nozzle

Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.

**Order no. 2.860-113.0**



---

### Turbo nozzle, DN 32

Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.

**Order no. 2.860-114.0**

