

Sprayers & Watering Nozzles



Wheelbarrow Tank	246
Wheelbarrow Tank Sprayer	246
Tank Kit with Marco Gear Pump	246
Pressure Sprayers	247
Watering Nozzles & Guns	249
Spray Lances	249
Shower Heads	249
Sprinkler Heads	250

Wheelbarrow Sprayers & Tanks



Wheelbarrow Tank - 125 Litre

Part No.	Dimensions	Kg
7007006600	1520L x 680W x 740H (mm)	25

The Comet wheelbarrow tank can be used in conjunction with various engine & electric driven pump units including diaphragm, plunger and centrifugal.

- Suction pipe & external filter
- Spray lance with nozzle
- 10 Metres of 40 Bar delivery hose
- Twin wheels with pneumatic tyres
- Heavy-duty 125 litre polyethylene tank
- Optional hose reel available

Engine Driven Sprayer - 125 Litre Wheelbarrow Tank - 11.9 Lpm 15 Bar



Part No.	Engine	Lpm	Bar	Kg
WBU1115P	GC135QHE	11.9	15	52
Dimensions - 1520L x 680W x 740H (mm)				

- Suction pipe & external filter
- Spray lance with nozzle
- Twin wheels with pneumatic tyres
- Heavy-duty 125 litre polyethylene tank
- Comet MC18 twin diaphragm pump
- Pump fitted with pressure regulator
- Honda GC135QHE engine
- With hose reel & 20 metre hose

TK Series Tank Kit with UP2/E Gear Pump & Electronic Brain



Part No.	Model	Tank Capacity	Volts DC	Max Amps	Max Bar	Max Lpm	Max Suction	Ports	Hose Barb	Dimensions L x W x H (mm)
164.910.15	TK1/2	107 Litres	12/24	3.2	2	10	1m	3/8" BSPF	13mm	1050 x 290 x 390
164.911.15	TK2/2	67 Litres	12/24	3.2	2	10	1m	3/8" BSPF	13mm	650 x 290 x 390



- Nickel plated brass body
- Helicoidal PTFE gears
- AISI 303 stainless steel shaft
- Viton seals, buna o-rings
- Brass connectors
- Tank filler barb 38mm Ø
- 40°C max fluid temperature

Hose Reel for Wheelbarrow Tank




Part No.
7002022500

- Fitted with 20 metre 10mm id hose
- Maximum pressure 40 Bar
- Supplied with fixings

with
20 Metre
Hose

Spray Hood



Part No.	Inlet
8292004	12mm F
8292010	1/4" BSPF

Fitted with nozzle holder and blue spray tip 110° x 03

Pressure Sprayers

Mini Series

Part No.	Total Capacity	Working Capacity
408-1001	0.65 Litres	0.5 Litre
408-1002	1.1 Litres	1 Litre

- Polyethylene tank
- Internal filter prevents blockages
- Adjustable - atomising nozzle



Master Plus Series

Part No.	Total Capacity	Working Capacity
408-1012	1.6 Litres	1.5 Litre
408-1011	2.1 Litres	2 Litre

- 0.4 Lpm average liquid output
- 4 Bar max pressure
- Polypropylene tank, BUNA seals
- Safety valve protected
- Adjustable - atomising nozzle
- Internal filter prevents blockages



Profession Series

Part No.	Total Capacity	Working Capacity
408-1015	5.75 Litres	5 Litres
408-1016	7.83 Litres	7 Litres
408-1017	9.5 Litres	8 Litres
408-1018	11.6 Litres	11 Litres

- 0.3 - 1 Lpm average liquid output
- 4 Bar max pressure
- Polypropylene tank, BUNA seals
- Safety valve protected
- 75 - 135cm telescopic lance
- Internal filter prevents blockages
- With carry belt, funnel & spare nozzles



Profession Plus Series

Part No.	Total Capacity	Working Capacity
408-1020	11.7 Litres	11 Litres

- 0.3 - 1.5 Lpm average liquid output
- 4 Bar max pressure
- Polypropylene tank, BUNA seals
- Safety valve protected
- 60cm wand with 50cm extension
- 170cm reinforced PVC hose
- Internal filter prevents blockages
- With carry belt, funnel & spare nozzles
- Suitable for calcium and water based paints



Titan Series

Part No.	Total Capacity	Working Capacity
408-1025	22 Litres	20 Litres

- 0.5 - 1 Lpm average liquid output
- 3 Bar max pressure
- Polypropylene tank, BUNA seals
- Safety valve protected
- 75 - 135cm telescopic lance
- 130cm reinforced PVC hose
- Left or right hand operation
- Internal filter prevents blockages
- Adjustable shoulder straps & belt
- With additional spares, seals & nozzles



IK Series Sprayers

Part No.	Total Capacity	Working Capacity
IK6	6.1 Litres	4.1 Litres
IK9	8.3 Litres	6.1 Litres
IK12	10.5 Litres	8.1 Litres

- 0.5 Lpm flow @ 3 Bar
- Max press 3 Bar
- Polypropylene tank & Viton seals
- Safety valve protected with over pressure indicator
- Supplied with gun, lance & shoulder straps
- Ideal for pre-spray of chemicals & detergents
- Can handle a wide variety of chemicals



Watering Nozzles & Guns

Hose Nozzle - Fixed Spray



Part No.

406-1005

- Fixed spray
- Garden hose connector
- Max press 10 bar
- Brass construction

Hose Nozzle - Adjustable Spray



Part No.

406-1004

- Adjustable spray pattern
- Garden hose connector
- Max press 10 bar
- Brass construction

Hose Nozzle - Adjustable Spray



Part No.

406-1009

- Adjustable spray pattern
- Geka compatible inlet
- Max press 10 bar
- Brass construction

Hose Nozzle - Adjustable Spray



Part No.

406-1013

- Adjustable spray pattern
- Hose barb Ø 1"
- Max press 10 bar
- Brass construction

Hose Nozzle - High Flow Version



Part No.

406-1008

- Adjustable spray pattern
- Male QRC inlet
- Max press 10 bar
- Brass construction

Not compatible
with garden hose

Adjustable Nozzle



Part No.

8000-5405

- From straight to atomised jet
- Garden hose connector
- For flows up to 12 Lpm
- Polypropylene & ABS

Spray Gun with Adjustable Jet



Part No.

406-1000

- Adjustable spray pattern
- Garden hose connector
- Max press 6 bar
- Chromed metal construction with rubber grip

Adjustable Nozzle - High Flow



Part No.

8000-3407

- Adjustable jet shape, intensity & flow rate
- Garden hose connector
- For flows up to 20 Lpm
- Polypropylene & ABS

Spray Gun with 7 Jets



Part No.

406-1001

- 7 pattern spray head
- Garden hose connector
- Max press 6 bar
- Chromed metal construction with rubber grip

Spray Gun with Adjustable Jet



Part No.

406-1002

- Adjustable spray pattern
- Adjustable water volume
- Garden hose connector
- Max press 6 bar
- Brass construction with rubber grip

Spray Gun with Adjustable Jet



Part No.

8000-3415

- Adjustable spray pattern
- Adjustable water volume
- Garden hose connector
- Max flow 10 Lpm @ 3 Bar
- Polypropylene & ABS

Spray Gun with Adjustable Jet



Part No.

8000-5480

- Adjustable spray pattern
- Adjustable water volume
- Garden hose connector
- Max flow 10 Lpm @ 3 Bar
- Brass construction with rubber grip

Spray Lances & Shower Heads

Trigger Gun Fitted with 600mm Lance Extension

For agricultural & horticultural spot spraying & general industrial spraying or cleaning: body and trigger in shock resistant plastic - stainless steel & brass internals - PVC lance extension supplied with nozzle cap nut - 1/2" female inlet

Part No.

15.0006.20

- Max press 15 Bar - plastic nozzle
- Max press 25 Bar - s/steel nozzle
- Max flow 30 Lpm
- Max temp 50°C



Trigger Gun for Above Lance Assembly

- 1/2" F inlet - 1/2" F Outlet

Part No.

15.0013.12

- Max press 25 Bar
- Max flow 70 Lpm
- Max temp 50°C



Extending & Fixed Lances - 763mm to 3145mm - Stainless Steel

Part No.	Min Length	Max Length	Weight	Nozzle
15.0216.02	763mm	763mm	0.32Kg	110o 03
15.0030.02	1290mm	2120mm	1.1Kg	110o 03
15.0020.27	1335mm	3145mm	1.75Kg	80o 03

- Lance & connectors manufactured in stainless steel
- Gun manufactured in reinforced polypropylene
- Viton seals fitted to gun & lance assembly
- Fitted with standard nozzle tip & 50 mesh filter
- Max flow 30 Lpm - Max Bar 15 - Max temp 60°C
- 1/2" BSPF inlet



Shower Wand



Part No.

8000-5424

- Adjustable shower head
- With fitting for 1/2" & 5/8" hoses
- 600mm long

Aluminium Shower Head

Part No.

406-1010

- Garden hose connector
- 60mm Ø




Spray Lance with 10 Jets

Part No.

406-1006

- 10 pattern spray head
- Max press 6 bar
- Garden hose connector
- Aluminium construction with rubber grip



Sprinklers

Pulsating Sprinkler on Tripod

Part No.
8000-5630

- 450m² max watered area
- 12m max radius
- 15-360° watering angle
- 15 Lpm max flow
- Aluminium tripod
- QR garden hose adaptor inlet



Pulsating Sprinkler on Spike

Part No.
8000-5621

- 450m² max watered area
- 12m max radius
- 15-360° watering angle
- 15 Lpm max flow
- Polypropylene spike
- QR garden hose adaptor inlet



Couplings



Page 163-167

Couplings



Page 163-167

Couplings



Page 163-167

Hose



Page 159-161

Hose



Page 159-161

Hose Clips



Page 162

Wash Guns



Page 121-123

Wash Guns



Page 121-123

Wash Guns



Page 121-123