Suction Filters.....334 - 335

Cartridge Water Filters.....336 - 337

Geoline Suction & Pressure Filters.....338 - 339

Banjo Filters.....340

Hypro Filters.....341

Banjo & Hypro Filter Spares.....342

Geoline Filter Spares.....343

Available from B&G Cleaning Systems
Call 0808 163 7983

Suction Filters

Foot Filters - 50 Mesh

Part No.	Ø	Opening Size
3350-0022	25mm	8mm Ø fits 1/4" ID Tube
3350-0021	32mm	8mm Ø fits 1/4" ID Tube
3350-0033	55mm	24mm Ø fits 5/8" ID Tube

- PVC & 304 S/Steel construction

Suction Filters

Part No.	Description	Mesh
28.1010.00	Brass weight - 6-8mm barb	50
28.1000.00	As above with check valve	51
15.0000.02	20mm barb	30
15.0000.01	25mm barb	30
15.0000.04	32mm barb	30
15.0000.03	3/4" M thread	30
15.0000.05	1" F thread	30

- Polypropylene construction

Cylinder Filters - 50 Mesh

Part No.	Port	Size mm
3350-0032	3/4" hose barb	165 L x 32 Ø
3350-0069	3/4" M thread	165 L x 32 Ø

- Nylon construction

Flat Seat Barb for Cylinder Filter

Part No.	For Use with B3500
C1400	1/4" flat seat barb
C3800	3/8" flat seat barb
C1200	1/2" flat seat barb
C5800	5/8" flat seat barb
C3400	3/4" flat seat barb
B3500	3/4" F flynut

- Nylon construction

Foot Filter - 20 Mesh Screen

Part No.	Dia	Barb
8060000	100mm	15mm
8060001	100mm	20mm
8060002	125mm	20mm
8060003	125mm	25mm
8060004	125mm	30mm
8060005	150mm	30mm
8060006	150mm	35mm
8060007	150mm	40mm

- Nylon construction

Weighted Filter - 50 Mesh Screen

Part No.	Inlet	Ø mm
FIL12B50	1/2" Barb	45
FIL58B50	5/8" Barb	45
FIL34B50	3/4" Barb	45
FIL10B50	1" Barb	45
FIL34F50	3/4" F Thread	45
FIL200F50	2" F Thread	90

- Brass end caps
- Replaceable nylon filter element with stainless steel screen

Chemical Filter

Part No.	Description
F1	No check valve
F2	With check valve

- 1/4" hose barb
- Plastic & brass construction

Cylinder Filter

Part No.	Barb	Mesh	Lpm
121.501.2	25 to 30mm	20	100

- Polypropylene & S/Steel
- 150mm L x 100mm Dia

Basket Foot Filters - Polyester

Part No.	Thread
9907-734-01	1 1/2" F
9907-733-01	2" F
9907-757-90	3" F

Plastic Foot Filters

Part No.	Barbs
50.002.400	2"
50.003.400	3"
50.004.400	4"

Steel Foot Filters

Part No.	Thread	Kg
9907-46286-00	2" F	0.9
9907-46287-00	3" F	1.37

- Plated steel construction
- 9mm filter holes

Polypropylene Floating Filter

Part No.	Size mm
8062003	203 L x 175 Ø

- 304 S/Steel mesh - 1.2mm holes

Barbs for Floating Filter

Part No.	Barb
R00000021	35mm
R00000022	40mm
R00000023	50mm

Weighted Filter

Part No.
23.0017

- 50 mesh S/Steel screen
- 1/2" & 3/4" hose barbs
- Plated steel end caps
- 45mm diameter
- Removable 1/2" barb

Inlet Filter - Aluminium

Part No.	Threads
3350-1000	1/2" F x 1/2" M

- Max press 10 Bar
- Max flow 22 Lpm
- Max temp 80°C
- 50 Mesh S/Steel screen
- Aluminium body - plastic cap
- 2 x 1/4"F bypass ports

F5B Inlet Filter - Polypropylene

Part No.	Threads
28.0350.20	1/2" F x 1/2" F

- Max press 10 Bar
- Max flow 30 Lpm
- Max temp 40°C
- 50 Mesh S/Steel screen
- Reinforced polypropylene body
- Brass threaded inserts
- 1/4" F bypass port

Y Filter - Brass

Part No.	Threads	Screen
402-1000	1/4" BSPF	45 mesh
402-1001	3/8" BSPF	45 mesh
402-1002	1/2" BSPF	45 mesh
402-1003	3/4" BSPF	45 mesh
402-1004	1" BSPF	45 mesh
402-1005	1 1/4" BSPF	40 mesh
402-1006	1 1/2" BSPF	40 mesh
402-1007	2" BSPF	40 mesh
402-1009	3" BSPF	30 mesh

- 304 S/Steel screen
- Max temp 80°C
- Max press 20 Bar

Y Filter - Stainless Steel

Part No.	Threads	Screen
23.0048	3/8" BSP F	35 mesh
23.0049	1/2" BSP F	18 mesh
23.0050	3/4" BSP F	18 mesh
23.0051	1" BSP F	18 mesh
23.0052	1 1/4" F	18 mesh
23.0053	1 1/2" F	18 mesh
23.0054	2" F	18 mesh

- Max press 40 Bar
- AISI 316 S/Steel body

Stainless Steel Filter

Part No.	Thread
402-1010	3/8" M
402-1011	1/2" M
402-1012	3/4" M
402-1013	1" M
402-1014	1 1/4" M
402-1015	1 1/2" M
402-1016	2" M

combine with valve opposite

- 304 S/Steel screen
- Reinforced nylon threads
- 18 mesh screen

Check Valve - Brass

Part No.	Threads	Bar
407-1021	3/8" F	16
407-1022	1/2" F	16
407-1023	3/4" F	16
407-1024	1" F	16
407-1025	1 1/4" F	10
407-1026	1 1/2" F	10
407-1027	2" F	10

- Brass construction
- Acetal copolymer disk
- NBR gasket
- 302 S/Steel spring
- Max temp 80°C

Foot Filter with Valve - Brass

Part No.	Thread
402-1050	1/2" F
402-1051	3/4" F
402-1052	1" F
402-1053	1 1/4" F
402-1054	1 1/2" F
402-1055	2" F

- Brass construction
- Max press 10 Bar

Foot Valve Filters

Part No.	Thread
291700002	3/4" F
291700001	1" F

- Brass & S/Steel construction
- 15 mesh S/Steel screen

High Pressure Inline Filter

Part No.	Inlet	Outlet
0211000650	QR Adaptor	1/4" BSP M

- Max press 250 Bar
- Max flow 30 Lpm
- Max temp 100°C
- 110 mesh filter screen
- Brass construction
- Compatible with AR1 series QR couplers & nozzles, see page 285

High Pressure Inline Filter

Part No.	Inlet	Outlet
0211000660	1/4" BSP F	1/4" BSP M

- Max press 310 Bar
- Max flow 30 Lpm
- Max temp 100°C
- 110 mesh filter screen
- Brass construction

Cartridge Water Filters

In-Line Filters

Salts

In-Line Polyphosphate Salt Dispenser

Part No.	Description	Dimensions	Cartridge Type
8500-8103	Filter - with cartridge	123H x 63ø, mm	Salts
8500-8900	Replacement salts	N/A	0.5 Kg tub

- 7 Bar max pressure
- 70 Lpm max flow @ 3 Bar
- 5 to 35°C working temperature
- Reinforced polypropylene head
- Clear Styrene-acrylonitrile bowl
- 3/4" female x 3/4" male ports

Cartridge

In-Line Filter with Net Cartridge

Part No.	Description	Dimensions	Cartridge Type
402-2070	Filter - with cartridge	123H x 63ø, mm	CFS 120 Micron
402-6020	3" Cartridge	N/A	CFS 60 Micron

- 7 Bar max pressure
- 35 Lpm max flow @ 2 Bar
- 5 to 40°C working temperature
- Reinforced polypropylene head
- Clear Styrene-acrylonitrile bowl
- 3/4" female x 3/4" male ports

Filter Housings

NEW

FP2 Series Filter Housings - 2 piece - Opaque Bowl - Plastic Threads

Part No.	Size	Threads	Max Capacity @ 2 Bar	Cartridge Type
402-2000	5"	1/2" BSPF	106 Lpm	ø118 x 170H
402-2001		3/4" BSPF	108 Lpm	
402-2010	10"	3/4" BSPF	108 Lpm	ø118 x 302H
402-2011		1" BSPF	106 Lpm	

- PP head without brass inserts
- White polypropylene sump
- NBR O ring
- 8 Bar max working pressure
- 5 to 50°C working temperature

NEW

FP3 Series Filter Housings - 3 piece - Clear Bowl - Brass Threads

Part No.	Size	Threads	Max Capacity @ 2 Bar	Dimensions, mm
402-2030	5"	1/2" BSPF	106 Lpm	ø122 x 174H
402-2031		3/4" BSPF	108 Lpm	
402-2040	10"	3/4" BSPF	108 Lpm	ø122 x 294H
402-2041		1" BSPF	106 Lpm	
402-2042		1 1/4" BSPF	230 Lpm	ø126 x 319H

- PP head with brass inserts
- Transparent SAN sump
- Polypropylene ring nut
- NBR O ring
- 8 Bar max working pressure
- 5 to 50°C working temperature

NEW

Duplex FP3 Series Filter Housings - 3 piece - Clear Bowl - Brass Threads

Part No.	Size	Threads	Max Capacity @ 2 Bar	Dimensions, mm
402-2050	10"	3/4" BSPF	108 Lpm	258W x 145D x 365H
402-2051		1" BSPF	106 Lpm	

- PP head with brass inserts
- Transparent SAN sump
- Polypropylene ring nut
- NBR O ring
- 8 Bar max working pressure
- 5 to 50°C working temperature

Filter cartridges not included - see opposite

Filter Cartridges

CA-POST20 | RCA | FR-E | FA | FA | RLA | RLA | CP/PRE-POST

Filtration Cartridges

Series	Micron	Max Bar	5" Filter Part No.	5" Filter Max Flow L/Hr	10" Filter Part No.	10" Filter Max Flow L/Hr
CA-POST20 - Activated Carbon Granules	20	8	**402-5000**	108	**402-5001**	216
RCA - Activated Carbon & Copper	0.5	-	**-**	-	**402-5020**	-
FR-E - Spun Polypropylene	1	8	**-**	-	**402-5040**	1000
	5	8	**-**	-	**402-5041**	1600
FA - Wound Polypropylene	5	8	**402-5062**	650	**402-5072**	1300
	10	8	**402-5063**	1000	**402-5073**	2000
	20	8	**402-5064**	1250	**402-5074**	2500
	30	8	**402-5065**	1300	**402-5075**	2600
	50	8	**402-5066**	1350	**402-5076**	2700
For 1 1/4" & 1 1/2" filters ONLY		8	**-**	-	**402-5067**	2500
RLA - Washable Polypropylene Net	80	8	**402-5080**	1750	**402-5082**	3500
	250	8	**402-5081**	2250	**402-5083**	4500
For 1 1/4" & 1 1/2" filters ONLY	80	8	**-**	-	**402-5084**	4200
	250	8	**-**	-	**402-5085**	5200
CP/PRE-POST - Polyphosphate Salts	20	9	**402-5100**	360	**402-5101**	720

Cartridge Type	Treatment	Applications	Lifetime
CA-POST20 - Activated Carbon Granules	Anti-odour & taste treatment cartridge reduces chlorine & organic contaminants.	Domestic, chemical & food industry & reverse osmosis	Replace at least every 3 months or 2500 litres
RCA - Activated Carbon & Copper	Anti-odour & taste treatment cartridge reduces chlorine, organic contaminants, pesticides & insecticides.	Domestic, food industry & reverse osmosis	Replace at least every 3 months. MUST BE USED WITH A 5 MICRON PRE-FILTER TO PREVENT DAMAGE TO CARTRIDGE
FR-E - Spun Polypropylene	Sediment filtration removes sand & suspended particles.	Domestic, industrial, agricultural, pharmaceutical, photography, petrochemical & reverse osmosis	Replace at least every 6 months
FA - Wound Polypropylene	Sediment filtration removes sand & suspended particles.	Domestic, industrial, agricultural, pharmaceutical, photography & petrochemical	Replace at least every 3-6 months
RLA - Washable Polypropylene Net	Sediment filtration removes sand & suspended particles.	Domestic, industrial, agricultural, pharmaceutical, photography & petrochemical	Replace at least every 2 years
CP/PRE-POST - Polyphosphate Salts	Anti-scale & corrosion treatment.	Domestic & industrial.	Replace salts when they reach half level or at least every year.

Accessories

Dual Pumps Part No.	Description
402-6000	Cartridge Gasket
402-6005	Plastic Spanner (FP2/FP3)
402-6010	Single Bracket (plastic)
402-6011	Double Bracket (plastic)
402-6012	Triple Bracket (plastic)
402-6015	Bracket Screw Kit

Cartridge Gasket

Plastic Spanner (FP2/FP3)

Single Bracket (plastic)

Double Bracket (plastic)

Triple Bracket (plastic)

Bracket Screw Kit

Suction Filter

Part No.	Ports	Mesh	Lpm
8072004	1 1/4" M	32	60
8072005	1 1/4" M	50	60

- Flows to 60 Lpm
- 40mm top port thread length
- 8mm threaded mounting holes
- 304 S/Steel mesh & EPDM gaskets

Suction Filter

Part No.	Ports	Mesh	Lpm
8074004	1 1/4" M	32	100
8074005	1 1/4" M	50	100

- Flows to 100 Lpm
- 40mm top port thread length
- 8mm threaded mounting holes
- 304 S/Steel mesh & EPDM gaskets

Suction Filter

Part No.	Ports	Mesh	Lpm
8077003	1 1/4" M	32	120
8077004	1 1/4" M	50	120
8077005	1 1/4" M	80	120

- Flows to 120 Lpm
- 40mm top port thread length
- 8mm threaded mounting holes
- 304 S/Steel mesh & EPDM gaskets

Suction Filter

Part No.	Ports	Mesh	Lpm
8081003	1 1/2" M	32	150
8081004	1 1/2" M	50	150
8081005	1 1/2" M	80	150

- Flows to 150 Lpm
- 40mm top port thread length
- 8mm threaded mounting holes
- 304 S/Steel mesh & EPDM gaskets

Suction Filter

Part No.	Ports	Mesh	Lpm
8087003	1 1/2" M	32	180
8087004	1 1/2" M	50	180
8087005	1 1/2" M	80	180

- Flows to 180 Lpm
- 44mm top port thread length
- 8mm threaded mounting holes
- 304 S/Steel mesh & EPDM gaskets

Suction Filter

Part No.	Ports	Mesh	Lpm
8091003	2" M	32	220
8091004	2" M	50	220
8091005	2" M	80	220

- Flows to 220 Lpm
- 44mm top port thread length
- 8mm threaded mounting holes
- 304 S/Steel mesh & EPDM gaskets

Suction Filter

Part No.	Ports	Mesh	Lpm
8095004	2" M	50	260

- Flows to 260 Lpm
- 44mm top port thread length
- 8mm threaded mounting holes
- 304 S/Steel mesh & EPDM gaskets

Suction Filter

Part No.	Ports	Mesh	Lpm
8101000	3" M	32	800
8101001	3" M	50	800
8101002	3" M	80	800

- Flows to 800 Lpm
- 35mm top port thread length
- 8mm threaded mounting holes
- 304 S/Steel mesh & EPDM gaskets

Suction Filter - Shut-off Valve

Part No.	Ports	Mesh	Lpm
8078003	1 1/4" M	32	120
8078004	1 1/4" M	50	120
8078005	1 1/4" M	80	120

- Flows to 120 Lpm
- 40mm top port thread length
- 8mm threaded mounting holes
- 304 S/Steel mesh & EPDM gaskets

Suction Filter - Shut-off Valve

Part No.	Ports	Mesh	Lpm
8082003	1 1/2" M	32	150
8082004	1 1/2" M	50	150
8082005	1 1/2" M	80	150

- Flows to 150 Lpm
- 44mm top port thread length
- 8mm threaded mounting holes
- 304 S/Steel mesh & EPDM gaskets

Pressure Filter - 15 Bar

Part No.	Ports	Mesh	Lpm
8118001	1/2" M	50	80
8118002	1/2" M	80	80
8118005	3/4" M	50	100
8118006	3/4" M	80	100
8118009	1" M	50	150
8118010	1" M	80	150

- Flows to 150 Lpm
- Pressures up to 15 Bar
- Polypropylene body
- 304 S/Steel mesh & EPDM gaskets
- 8.5mm Ø mounting holes

Pressure Filter - 20 Bar

Part No.	Ports	Mesh	Lpm
8110000	1/2" M	32	80
8110001	1/2" M	50	80
8110002	1/2" M	80	80
8110003	1/2" M	100	80
8110004	3/4" M	32	100
8110005	3/4" M	50	100
8110006	3/4" M	80	100
8110007	3/4" M	100	100
8110008	1" M	32	150
8110009	1" M	50	150
8110010	1" M	80	150
8110011	1" M	100	150

- Flows to 150 Lpm
- Pressures up to 20 Bar
- Polypropylene body
- 304 S/Steel mesh & EPDM gaskets
- 8.5mm Ø mounting holes

Suction Filter - Shut-off Valve

Part No.	Ports	Mesh	Lpm
8088003	1 1/2" M	32	180
8088004	1 1/2" M	50	180
8088005	1 1/2" M	80	180
8092003	2" M	32	220
8092004	2" M	50	220
8092005	2" M	80	220

- Flows to 220 Lpm
- 44mm top port thread length
- 8mm threaded mounting holes
- 304 S/Steel mesh & EPDM gaskets

Pressure Filter - 15 Bar

Part No.	Ports	Mesh	Lpm
8121001	1 1/4" F	50	200
8121002	1 1/4" F	80	200
8121005	1 1/2" F	50	280
8121006	1 1/2" F	80	280

- Flows to 280 Lpm
- Pressures up to 15 Bar
- Polypropylene body
- 304 S/Steel mesh & EPDM gaskets
- 8.5mm Ø mounting holes

Pressure Filter - 20 Bar

Part No.	Ports	Mesh	Lpm
8105001	1/2" F	50	80
8105002	1/2" F	80	80
8105005	3/4" F	50	100
8105006	3/4" F	80	100
8105008	1" F	32	150
8105009	1" F	50	150
8105010	1" F	80	150
8105011	1" F	100	150

- Flows to 150 Lpm
- Pressures up to 20 Bar
- Polypropylene body
- 304 S/Steel mesh & EPDM gaskets
- 8.5mm Ø mounting holes

Pressure Filter - 50 Bar

Part No.	Ports	Mesh	Lpm
8135000	3/4" F	32	150
8135001	3/4" F	50	150
8135002	3/4" F	80	150

- Flows to 150 Lpm
- Pressures up to 50 Bar
- Glass filled nylon body
- 304 S/Steel mesh & EPDM gaskets
- 8.5mm Ø mounting holes
- Drain valve - 1/2" BSPM outlet

Banjo "Y" Filters

LS Series with threaded cap							
Part No.	Ports	Mesh	Bar	Part No.	Ports	Mesh	Bar
LSY050-20	1/2" F	20	15	LSY150-50	1 1/2" F	50	10
LSY050-40	1/2" F	40	15	LSY150-80	1 1/2" F	80	10
LSY050-80	1/2" F	80	15	LSY150-120	1 1/2" F	120	10
LSY075-20	3/4" F	20	15	LSY200-12	2" F	12	10
LSY075-40	3/4" F	40	15	LSY200-20	2" F	20	10
LSY075-80	3/4" F	80	15	LSY200-30	2" F	30	10
LSY100-20	1" F	20	13	LSY200-50	2" F	50	10
LSY100-40	1" F	40	13	LSY200-80	2" F	80	10
LSY100-80	1" F	80	13	LSY200-100	2" F	100	10
LSY125-20	1 1/4" F	20	13	LSY200-120	2" F	120	10
LSY125-40	1 1/4" F	40	13	LSM300-04	3" F	4	5
LSY125-80	1 1/4" F	80	13	LSM300-08	3" F	8	5
LSY150-12	1 1/2" F	12	10	LSM300-12	3" F	12	5
LSY150-20	1 1/2" F	20	10	LSM300-20	3" F	20	5
LSY150-30	1 1/2" F	30	10	LSM300-50	3" F	50	5

LSQ Series with cam lever cap							
Part No.	Ports	Mesh	Bar	Part No.	Ports	Mesh	Bar
LSQ150-12	1 1/2" F	12	5	LSQ200-06	2" F	06	5
LSQ150-20	1 1/2" F	20	5	LSQ200-12	2" F	12	5
LSQ150-30	1 1/2" F	30	5	LSQ200-20	2" F	20	5
LSQ150-50	1 1/2" F	50	5	LSQ200-30	2" F	30	5
LSQ150-80	1 1/2" F	80	5	LSQ200-50	2" F	50	5
LSQ150-120	1 1/2" F	120	5	LSQ200-80	2" F	80	5

- Pressures up to 5 Bar @ 21°C
- 304 S/Steel reinforced screens
- Glass reinforced polypropylene
- EPDM gaskets - Viton available

Banjo "T" Filters

Part No.	Ports	Mesh	Bar	Part No.	Ports	Mesh	Bar
LST075-16	3/4" F	16	20	LST125-30	1 1/4" F	30	20
LST075-30	3/4" F	30	20	LST125-50	1 1/4" F	50	20
LST075-50	3/4" F	50	20	LST125-80	1 1/4" F	80	20
LST075-80	3/4" F	80	20	LST150-30	1 1/2" F	30	15
LST075-100	3/4" F	100	20	LST150-50	1 1/2" F	50	15
LST100-16	1" F	16	20	LST150-80	1 1/2" F	80	15
LST100-30	1" F	30	20	LST150-100	1 1/2" F	100	15
LST100-50	1" F	50	20				
LST100-80	1" F	80	20				

- Listed max pressures @ 21°C
- Glass reinforced polypropylene
- 304 S/Steel reinforced screens
- EPDM gaskets - Viton available
- Threaded clean out plug

Banjo "T" Filter - AISI 316 Stainless Steel

Part No.	Ports	Mesh	Bar
LST200-50SS	2" F	50	15
LST200-100SS	2" F	100	15

- Listed max pressures @ 21°C
- Glass reinforced polypropylene bowl
- 316 S/Steel head assembly
- 316 S/Steel reinforced screens
- Viton gasket fitted as standard
- Threaded clean out plug

1" threaded clean out plug can be removed & a ball valve fitted for draining or back flushing

Hypro In-line Filters - Low Profile

Part No.	Mesh	Bar
3350-0085	20	10
3350-0079	50	10
3350-0082	80	10

- Listed max pressures @ 21°C
- Ports 1/4" F & 1/2" M
- Nylon bodies
- 304 stainless steel screens
- Buna N gaskets - Viton available

Hypro In-line Filters - Medium Profile

Part No.	Ports	Mesh	Bar
3350-0056	1/2" F	20	10
3350-0046	1/2" F	50	10
3350-0043	1/2" F	80	10
3350-0040	3/4" F	20	10
3350-0034	3/4" F	50	10
3350-0035	3/4" F	80	10
3350-0057	1" F	20	10

Part No.	Ports	Mesh	Bar
3350-0058	1" F	50	10
3350-0059	1" F	80	10
3350-0072	1 1/4" F	50	10
3350-0073	1 1/4" F	80	10
3350-0112	1 1/2" F	20	10
3350-0113	1 1/2" F	50	10
3350-0114	1 1/2" F	80	10

- Listed max pressures @ 21°C
- Nylon bodies
- 304 stainless steel screens
- Buna N gaskets - Viton available

Banjo & Hypro Filter Spares

Spares for Banjo Filters

		Screens Part No. & Poly Screen Colours																
		Black	Beige	Beige	Red	Red	Red	Brown	Brown	Blue	Blue	Blue	Yellow	Yellow	Yellow	Yellow	Yellow	Black
		LS212	LS120	LS220	LS230	LST130	LST1530	LS740	LS140	LS250	LST150	LST1550	LS780	LS180	LS280	LST180	LST1580	LS2120
	Mesh S/S	12	20	20	30	30	30	40	40	50	50	50	80	80	80	80	80	120
Filter Part No.	LSY050							X					X					
	LSY075							X					X					
	LSY100		X						X					X				
	LSY125		X						X					X				
	LSY150	X		X	X					X					X			X
	LSY200	X		X	X					X					X			X
	LSQ150	X		X	X					X					X			X
	LSQ200	X		X	X					X					X			X
	LST075					X					X					X		
	LST100					X					X					X		
	LST125						X					X					X	
	LST150						X					X					X	

Spares for Hypro Filters

			Screen Part No.														Gasket Part No.				
			9902-12492	9902-12493	9902-12491	3800-0040	3800-0041	3800-0042	3800-0043	3800-0044	3800-0045	3800-0046	3800-0047	3800-0048	3800-0065	3800-0066	3800-0067	1700-0044	1700-0045	1700-0057	1700-0058	1700-0064
	Threads	Mesh S/S	50	80	20	20	50	80	20	50	80	50	80	20	20	50	80	B	V	B	V	B
Filter Part No.	1/4" F/1/2" M	3350-0085										X	X	X								X
		3350-0079										X	X	X								X
		3350-0082										X	X	X								X
	1/2" F	3350-0056	X	X	X													X	X			
		3350-0046	X	X	X													X	X			
		3350-0042	X	X	X													X	X			
		3350-0043	X	X	X													X	X			
	3/4" F	3350-0040	X	X	X													X	X			
		3350-0034	X	X	X													X	X			
		3350-0044	X	X	X													X	X			
		3350-0035	X	X	X													X	X			
		3350-0045	X	X	X													X	X			
	1" F	3350-0057				X	X	X												X	X	
		3350-0060				X	X	X												X	X	
		3350-0058				X	X	X												X	X	
		3350-0061				X	X	X												X	X	
		3350-0059				X	X	X												X	X	
		3350-0062				X	X	X												X	X	
	1 1/4" F	3350-0071							X	X	X									X	X	
		3350-0074							X	X	X									X	X	
		3350-0072							X	X	X									X	X	
		3350-0075							X	X	X									X	X	
		3350-0073							X	X	X									X	X	
		3350-0076							X	X	X									X	X	
	1 1/2" F	3350-0112													X	X	X			X	X	
		3350-0115													X	X	X			X	X	
		3350-0113													X	X	X			X	X	
		3350-0116													X	X	X			X	X	
		3350-0114													X	X	X			X	X	

Gasket Material: E = EPDM, V = Viton, B = Buna

Spares for Geoline Filters

Mesh	Screen Part No. & Poly Screen Colours			Filter Part No. 1/2"			3/4"				1"			1 1/4"					1 1/2"					2"	
				8110 XXX	8118 XXX	8105 XXX	8135 XXX	8118 XXX	8110 XXX	8105 XXX	8118 XXX	8110 XXX	8105 XXX	8121 XXX	8072 XXX	8074 XXX	8077 XXX	8078 XXX	8121 XXX	8081 XXX	8082 XXX	8087 XXX	8088 XXX	8091 XXX	8092 XXX
32 S/Steel	C00100008	108ø x 200L	Red																			X	X	X	X
32 S/Steel	C00100011	79ø x 167L	Red																	X	X				
32 S/Steel	C00100017	79ø x 109L	Red														X	X							
32 S/Steel	C00100020	70ø x 150L	Red													X									
32 S/Steel	C00100000	38ø x 88L	Red	X		X			X	X															
32 S/Steel	C00100024	70ø x 100L	Red												X										
32 S/Steel	C00100032	54ø x 210L	Red											X					X						
32 S/Steel	C00100014	50ø x 150L	Red				X																		
32 S/Steel	C00100004	38ø x 122L	Red								X	X	X												
50 S/Steel	C00100009	108ø x 200L	Blue																			X	X	X	X
50 S/Steel	C00100012	79ø x 167L	Blue																	X	X				
50 S/Steel	C00100018	79ø x 109L	Blue														X	X							
50 S/Steel	C00100021	70ø x 150L	Blue													X									
50 S/Steel	C00100001	38ø x 88L	Blue	X		X			X	X															
50 S/Steel	C00100025	70ø x 100L	Blue												X										
50 S/Steel	C00100033	54ø x 210L	Blue											X					X						
50 S/Steel	C00100015	50ø x 150L	Blue				X																		
50 S/Steel	C00100005	38ø x 122L	Blue		X			X			X	X	X												
80 S/Steel	C00100010	108ø x 200L	Yellow																			X	X	X	X
80 S/Steel	C00100013	79ø x 167L	Yellow																	X	X				
80 S/Steel	C00100019	79ø x 109L	Yellow														X	X							
80 S/Steel	C00100002	38ø x 88L	Yellow	X		X			X	X															
80 S/Steel	C00100034	54ø x 210L	Yellow											X					X						
80 S/Steel	C00100016	50ø x 150L	Yellow				X																		
80 S/Steel	C00100006	38ø x 122L	Yellow		X			X			X	X	X												
100 S/Steel	C00100036	70ø x 150L	Green													X									
100 S/Steel	C00100007	38ø x 122L	Green								X	X	X												
100 S/Steel	C00100035	54ø x 210L	Green											X					X						
100 S/Steel	C00100003	38ø x 88L	Green	X		X			X	X															
18 PP	C00100022	70ø x 150L	Black													X									
18 PP	C00100026	70ø x 100L	Black												X										
32 PP	C00100027	70ø x 100L	Red												X										
32 PP	C00100023	70ø x 150L	Red													X									
EPDM Gaskets	G00001042																					X	X	X	X
EPDM Gaskets	G00001040																X	X		X	X				
EPDM Gaskets	G00001038													X	X										
EPDM Gaskets	G00001046													X					X						
EPDM Gaskets	G00001024			X	X	X		X	X	X	X	X	X												