


# Hose, Hose Clips, Sealant & Watering Nozzles



Garden Hose	152
Extra Flex Hose	152
Clear Reinforced Hose	152
Kanaflex Hose	153
Layflat Hose	153
Diesel Transfer Hose	153
Spiral Hose	153
Diesel Delivery Hose Kits	153
Reinforced PVC Hose	153
High Pressure Hose	154
High Pressure Connection Hoses	154
Hose Clips	155
O Clip Pliers	155
Teflon® Tape	155
Spiral Wrap Hose Protector	155
Hose & Cable Protector	155
Watering Nozzles, Guns & Shower Head	156

Available from B&G Cleaning Systems  
Call 0808 163 7983

# Low Pressure Hose

## PVC Garden - 15m & 30m coils



Part No.	Length	id	Bar
LGL1215	15m coil	1/2"	8
LGL1230	30m coil		

- Temp -15°C to 60°C
- 15m & 30m coils

## Clear PVC - by the metre or 30m coils



Part No.	Length	id
503-1006	per 1m	6mm
503-1006-30M	30m coil	
503-1008	per 1m	8mm
503-1008-30M	30m coil	
503-1010	per 1m	1/2"
503-1010-30M	30m coil	
503-1012	per 1m	3/4"
503-1012-30M	30m coil	
503-1016	per 1m	1 1/4"
503-1016-30M	30m coil	
503-1014	per 1m	1 1/2"
503-1014-30M	30m coil	

- Temp -10°C to 55°C
- Sold by the metre or 30m coils

## Clear Wire Reinforced PVC - by the metre or 30m coils



Part No.	Length	id	Bar
503-1013	per 1m	1/2"	10
503-1013-30M	30m coil		
503-1017	per 1m	5/8"	12
503-1017-30M	30m coil		
503-1001	per 1m	3/4"	11
503-1001-30M	30m coil		
503-1000	per 1m	1"	10
503-1000-30M	30m coil		

- Temp -10°C to 55°C
- Sold by the metre or 30m coils

## Extra Flex PVC - by the metre or 25m & 50m coils



Part No.	Length	id	Bar
GH12Y	per 1m	1/2"	10
GH12Y-25M	25m coil		
GH12Y-50M	50m coil		
GH16Y	per 1m	5/8"	10
GH16Y-25M	25m coil		
GH16Y-50M	50m coil		
GH19Y	per 1m	3/4"	10
GH19Y-25M	25m coil		
GH19Y-50M	50m coil		
GH25Y	per 1m	1"	10
GH25Y-25M	25m coil		
GH25Y-50M	50m coil		

- Temp -10°C to 60°C
- Sold by the metre or 25m & 50m coils

## Clear Reinforced PVC - by the metre or 30m coils



Part No.	Length	id	Bar
01-06	per 1m	1/4"	22
01-06-30M	30m coil		
01-516	per 1m	5/16"	21
01-516-30M	30m coil		
01-10	per 1m	3/8"	20
01-10-30M	30m coil		
01-12	per 1m	1/2"	16
01-12-30M	30m coil		
01-16	per 1m	5/8"	15
01-16-30M	30m coil		
01-19	per 1m	3/4"	15
01-19-30M	30m coil		
01-25	per 1m	1"	13
01-25-30M	30m coil		

- Temp -10°C to 60°C
- Sold by the metre or 30m coils

# Low Pressure Hose

## Kanaflex - by the metre or 30m coils



Part No.	Length	id	Bar
12-CD07	per 1m	3/4"	9
12-CD07-30M	30m coil		
12-CD10	per 1m	1"	8
12-CD10-30M	30m coil		
12-CD12	per 1m	1 1/4"	7
12-CD12-30M	30m coil		
12-CD15	per 1m	1 1/2"	6.5
12-CD15-30M	30m coil		
12-CD20	per 1m	2"	6
12-CD20-30M	30m coil		
12-CD30	per 1m	3"	4
12-CD30-30M	30m coil		
12-CD40	per 1m	4"	4
12-CD40-30M	30m coil		

- Temp -10°C to 55°C
- Sold by the metre or 30m coils

## Diesel Delivery - by the metre or 50m coils



Part No.	Length	id	Bar
DDH025	per 1m	1"	7
DDH025-50M	50m coil		

- Temp -10°C to 55°C
- UV & ozone resistant
- Rubber PVC alloy
- Sold by the metre or 50m coils

## Diesel Delivery Hose Kits

Part No.	Threads	Length
139814	1" BSPM	4m
971521	1" BSPM	6m
139818	1" BSPM	8m
157916	1" BSPM	10m



- 1" id anti-static hose
- Threaded crimped brass ports

## Reinforced PVC Hose - 40 Bar

Part No.	Length	id	Bar
3208037200	10m coil	8mm	40
3208046600	20m coil	8mm	40
3208102300	50m coil	8mm	40
3208093400	20m coil	10mm	40
3208102400	40m coil	10mm	40



- Temp -10°C to 50°C
- Suitable for air and water

## Layflat - by the metre or 100m coils



Part No.	Length	id	Bar
P16LFB	per 1m	1"	7
P16LFB-100M	100m coil		
P20LFB	per 1m	1 1/4"	7
P20LFB-100M	100m coil		
P24LFB	per 1m	1 1/2"	5
P24LFB-100M	100m coil		
P32LFB	per 1m	2"	4.5
P32LFB-100M	100m coil		
P48LFB	per 1m	3"	4
P48LFB-100M	100m coil		
P64LFB	per 1m	4"	4
P64LFB-100M	100m coil		

- Temp -15°C to 60°C
- Sold by the metre or 100m coils

## Diesel Suction - by the metre or 30m coils



Part No.	Length	id	Bar
DSH025	per 1m	1"	9.3
DSH025-30M	30m coil		

- Temp -10°C to 55°C
- UV & ozone resistant
- Reinforced PVC/nylon
- Sold by the metre or 30m coils

## Diesel Suction Hose Kits

Part No.	Threads	Length
139742	1" BSPM	3m
971500	1" BSPM	4m
971501	1" BSPM	7m
139759	1 1/4" BSPM	3m
971502	1 1/4" BSPM	4m
971503	1 1/4" BSPM	7m



- Spiral wound hose
- Threaded crimped brass ports
- Brass foot valve

## 10 Metre - Spiral with Fittings

Part No.
8000-7204

- Adjustable nozzle
- Quick release couplings
- Non-return check valve
- 10 Metre x 12 mm Ø



# High Pressure Hose

## 5/16" id - Single Wire



### 1/4" F x M22 F fittings

Part No.	Length	Bar	Description	Temp
TUBIN16	16M	160	5/16" id plastic coated hose	60°C
TUBIN8R	8M	220	5/16" id 1 wire rubber hose	150°C
TUBIN25	25M	210		

## 3/8" id - Single & Twin Wire



### 3/8" F x 3/8" M fittings

Part No.	Length	Bar	Description	Temp
HP2600	10M	210	3/8" id 1 wire rubber hose	150°C
HP2600-12.5	12.5M	210		
HP2600-20	20M	210		
HP2600-40	40M	210		
HP4800	10M	400	3/8" id 2 wire rubber hose	150°C
HP4800-20	20M	400		
HP4800-30	30M	400		
HP4800-40	40M	400		



### 3/8" M x M22 F fittings

Part No.	Length	Bar	Description	Temp
HP2600K	10M	210	3/8" id 1 wire rubber hose	150°C
HP4800K	10M	400	3/8" id 2 wire rubber hose	150°C



### M22 F x M22 F fittings


Part No.	Length	Bar	Description	Temp
HP2600KK	10M	210	3/8" id 1 wire rubber hose	150°C
HP2600KK-20	20M	210		
HP2600KK-25	25M	210		
HP2600KK-30	30M	210		
HP2600KK-50	50M	210		
HP3000KK	10M	250	3/8" id 1 wire compact rubber hose	150°C
HP4800KK	10M	400	3/8" id 2 wire rubber hose	150°C
HP4800KK-15	15M	400		
HP4800KK-30	30M	400		



### QR x QR fittings

Part No.	Length	Bar	Description	Temp
HP2600QR	10M	210	3/8" id 1 wire rubber hose Compatible with ARS220, ARS350 AR31 QR Couplings see P204	150°C
HP2600QR-20	20M	210		
HP2600QR-40	40M	210		
HP4800QR	10M	350	3/8" id 2 wire rubber hose Compatible with ARS220, ARS350 AR31 QR Couplings see P204	150°C
HP4800QR-20	20M	350		
HP4800QR-30	30M	350		
HP4800QR-40	40M	350		

## High Pressure Connection Hoses



Part No.	Description	Length	Inlet	Outlet	Bar	Temp
BP1	3/8" id 1 wire rubber hose	330mm	3/8" F 90°	3/8" F	210	150°C
BP2		355mm	3/8" F	3/8" F		
399-1025	3/8" id 2 wire rubber hose	250mm	3/8" F	3/8" F	400	150°C
399-1021		590mm	3/8" F 45°	3/8" F		
503-1056		770mm	3/8" F	3/8" F 90°		
503-1025		870mm	3/8" F 45°	3/8" F 90°		
399-1023		1180mm	3/8" F 90°	3/8" F 90°		
503-1022		1730mm	3/8" F 90°	3/8" F 90°		

# Hose Clips, Sealant & Protection

## Hose Clips - Zinc Plated



Part No.	Adjustment	Band width
502-1000	8 - 12 mm	9mm
502-1001	10 - 16 mm	9mm
502-1003	12 - 22 mm	9mm
502-1004	16 - 27 mm	12mm
502-1005	20 - 32 mm	12mm
502-1006	25 - 40 mm	12mm
502-1007	35 - 50 mm	12mm
502-1008	40 - 60 mm	12mm
502-1009	50 - 70 mm	12mm
502-1010	70 - 90 mm	12mm
502-1011	90 - 110 mm	12mm
502-1012	100 - 120 mm	12mm

- Zinc plated mild steel worm drive to BS5315 (W1)

## Hose Clips - Stainless Steel



Part No.	Adjustment	Band width
502-1020	8 - 16 mm	9mm
502-1021	12 - 20 mm	9mm
502-1022	16 - 25 mm	9mm
502-1023	20 - 32 mm	12mm
502-1024	25 - 40 mm	12mm
502-1025	35 - 50 mm	12mm
502-1026	40 - 60 mm	12mm
502-1027	50 - 70 mm	12mm
502-1028	60 - 80 mm	12mm
502-1029	70 - 90 mm	12mm
502-1030	90 - 110 mm	12mm
502-1031	100 - 120 mm	12mm

- AISI 430 S/Steel band & screw (W3)

## Hose Clips - Stainless Steel



Part No.	Adjustment
502-1060	43 - 47 mm
502-1061	47 - 51 mm
502-1063	51 - 55 mm
502-1072	55 - 59 mm
502-1064	59 - 63 mm
502-1065	63 - 68 mm
502-1066	68 - 73 mm
502-1067	73 - 79 mm
502-1071	79 - 85 mm
502-1068	85 - 91 mm
502-1069	91 - 97 mm
502-1070	104 - 112 mm

- AISI 430 S/Steel band
- Designed for 360° clamping
- High torque applications
- Nylon lock feature

## O Clips - Zinc Plated



Part No.	Size
502-1100	11 - 13mm
502-1101	15 - 18mm
502-1104	20 - 23mm
502-1102	23 - 27mm

- Zinc plated mild steel

## O Clip Pliers



Part No.
800-1005

## Teflon® Tape



Part No.	Length	Width
9902-1252	13.2m	12mm

## Hose Protection

### Spiral Wrap Hose Protector - sold per metre

Part No.
502-1110



- 16.0mm Ø compatible hose diameter
- Black high density polyethylene
- Max complete length = 20m

### Hose & Cable Protector

Part No.	Dimensions (mm)
6002200	1000 L x 250 W x 45 H

- Twin channel - up to 1 1/4" od hose
- Inter-locking dovetail connections



# Watering Nozzles, Guns & Shower Head

## Hose Nozzle - Fixed Spray



**Part No.**  
406-1005

- Fixed spray
- Garden hose connector
- Max press 10 bar
- Brass construction

## Hose Nozzle - Adjustable Spray



**Part No.**  
406-1004

- Adjustable spray pattern
- Garden hose connector
- Max press 10 bar
- Brass construction

## Hose Nozzle - Adjustable Spray



**Part No.**  
406-1009

- Adjustable spray pattern
- Geka compatible inlet
- Max press 10 bar
- Brass construction

## Hose Nozzle - Adjustable Spray



**Part No.**  
406-1013

- Adjustable spray pattern
- Hose barb Ø 1"
- Max press 10 bar
- Brass construction

## Hose Nozzle - High Flow Version



**Part No.**  
406-1008

Not compatible  
with garden hose

- Adjustable spray pattern
- Male QRC inlet
- Max press 10 bar
- Brass construction

## Adjustable Nozzle



**Part No.**  
8000-5405

- From straight to atomised jet
- Garden hose connector
- For flows up to 12 Lpm
- Polypropylene & ABS

## Spray Gun with Adjustable Jet



**Part No.**  
406-1000

- Adjustable spray pattern
- Garden hose connector
- Max press 6 bar
- Chromed metal construction with rubber grip

## Adjustable Nozzle - High Flow



**Part No.**  
8000-5407

- Adjustable jet shape, intensity & flow rate
- Garden hose connector
- For flows up to 20 Lpm
- Polypropylene & ABS

## Spray Gun with 7 Jets



**Part No.**  
406-1001

- 7 pattern spray head
- Garden hose connector
- Max press 6 bar
- Chromed metal construction with rubber grip

## Spray Gun with Adjustable Jet



**Part No.**  
406-1002

- Adjustable spray pattern
- Adjustable water volume
- Garden hose connector
- Max press 6 bar
- Brass construction with rubber grip

## Adjustable Spray Gun



**Part No.**  
8000-3459

- Adjustable spray pattern & flow
- QR garden hose adaptor inlet
- Polypropylene & ABS
- 10 Lpm max flow @ 4 Bar

## Spray Gun with Adjustable Jet



**Part No.**  
8000-5480

- Adjustable spray pattern
- Adjustable water volume
- Garden hose connector
- Max flow 10 Lpm @ 3 Bar
- Brass construction with rubber grip

## High Flow Spray Nozzle



**Part No.**  
50.015.002

- 1 1/2" female thread inlet
- Rated to 565Lpm @ 7Bar
- Adjustable spray pattern
- Reinforced plastic body
- Rubber protection cuff

## Aluminium Shower Head



**Part No.**  
406-1010

- Garden hose connector
- 60mm Ø