

Nilfisk CS7010

Scrubber / Sweeper combined in one machine



- No tools required, ergonomic controls
- Battery, diesel or LPG powered
- High-capacity 285 litre front hopper with high-lift system
- Standard dual side brooms
- Hybrid combination machine
- Rubber wheels
- Fuel Efficient

The Nilfisk CS7010 range (replacing the CS7100) are highly advanced ride-on scrubber/sweeper combinations that make them very efficient for cleaning dust and hard soiled areas.

The three wheel turning system and easy controls are user friendly to reduce operator fatigue. Excellent fuel economy and run-time efficiency, and meets co2 emission standards. Easy to service.

Additional features:

- ClearView™ sightlines and automatic speed reduction in turns for safer operation
- Tools-free tilt-out/lift-off recovery tank with integrated SmartFlow™
- Available with patented DustGuard™ airborne dust suppression technology
- High running time on battery variant
- Retractable offset deck and breakaway squeegee
- Generation filtration system, variable filter shaking
- OneTouch™, MaxAccess, NoTools™ for more efficient servicing

Available in three models, LPG-Hybrid, Diesel-Hybrid and ePower Battery, the CS7010 offers high performance, with efficient, electronically controlled, low maintenance electric drives. A superb top of the range, eco friendly hybrid scrubber / sweeper. machine designed to reduce labour and maintenance costs.

Technical data: Nilfisk CS7010

Features:	1200 Diesel Hybrid	1200 Battery	1200 LPG Hybrid
Motor power source	Diesel-Hybrid	Battery	LPG-Hybrid
Motor brand	Kubota	–	Kubota
Motor type	D1305, 3cyl, 29HP	36v	WG972, 3 cyl, 30HP
Max transport speed (rpm)	8.9	8.9	8.9
Working speed (KM/H)	5.6	5.6	5.6
Sound pressure Level (dBA)	81	72	82
Productivity rate (M ² /H)	7760	7760	7760
Sweeping width (mm)	1540	1540	1540
Scrubbing width (mm)	1245	1245	1245
Min. turnround width (cm)	259/264	259/264	259/264
Max climbing rate (%)	17.6	17.6	17.6
Max climb rate (%)	17.6	17.6	17.6
Water flow (L/M)	3.8 – 11.76	3.8 – 11.76	3.8 – 11.76
Solution/Recovery tank (L)	284 / 284	284 / 284	284 / 284
Hopper volume (L)	198	198	198
Main filter area (M ²)	10.7	10.7	10.7
Squeegee width (MM)	1350	1350	1350
Brush pressure (KG)	90-127-181	90-127-181	90-127-181
Brushes/pads QTY.	3	3	3

Main broom (MM)	900 x 310	900 x 310	900 x 310
Side broom Diameter (MM)	381	381	381
Brush size (MM)	430	430	430
Dimensions (LxWxH) (CM)	262 x 122 x 150	262 x 122 x 150	262 x 122 x 150
Weight (KG)	1593	2124	1649

Call us FREE on 0808 301 4577

**For advice and best prices on cleaning
equipment to buy, lease or hire.**

