

Wash Brushes & Poles



Vikan Wash Brushes & Poles.....	176 - 177
Fixed Brush Heads & Kits.....	178
Rotary Brush Heads & Kits.....	178
Brush Holder Tank.....	178
Car Wash Kits.....	178
Shampoo Sticks.....	178
Hoselock Converter.....	178
Foam Generators.....	178

Available from B&G Cleaning Systems
Call 0808 163 7983



370mm Body Work Brush

Part No.	HxWxD (mm)	Temp
475752	120x370x100	50°C


- Water fed
- 52mm soft bristles
- Polypropylene/Polyester
- Fits all Vikan poles



280mm Hi-Lo Angled Brush

Part No.	HxWxD (mm)	Temp
524752	90x280x150	50°C

- Water fed
- 46mm soft bristles
- Polypropylene/Polyester
- Fits all Vikan poles



240mm Wheel Rim Brush

Part No.	HxWxD (mm)	Temp
545252	105x240x160	50°C

- Water fed
- 50mm soft bristles
- Polypropylene/Polyester
- Fits all Vikan poles



270mm All Surface Brush

Part No.	HxWxD (mm)	Temp
475552	130x270x100	50°C

- Water fed
- 52mm soft bristles
- Polypropylene/Polyester
- Fits all Vikan poles



Adjustable Vehicle Brush

Part No.	HxWxD (mm)	Temp
526852	130x250x160	50°C

- Water fed
- 47mm soft bristles
- Polypropylene/Polyester
- Fits all Vikan poles



230mm Vehicle Brush

Part No.	HxWxD (mm)	Temp
526952	120x230x100	50°C

- Water fed
- 50mm soft bristles
- Polypropylene/Polyester
- Fits all Vikan poles



360mm Hand Brush

Part No.	HxWxD (mm)	Temp
525452	105x360x60	50°C

- Water fed
- 50mm soft bristles
- Polypropylene/Polyester
- QR adaptor inlet compatible with garden quick couplers see page 282 - 283



Short Handle Brush

Part No.	HxWxD (mm)	Temp
522752	115x275x95	50°C

- Water dip
- 45mm soft split bristles
- Polypropylene/Polyester



420mm Hand Brush

Part No.	HxWxD (mm)	Temp
522252	65x420x65	50°C

- Water dip
- 45mm soft bristles
- Polypropylene/Polyester



290mm Hand Brush

Part No.	HxWxD (mm)	Temp
525252	100x290x70	50°C

- Water dip
- Rubber edged
- 45mm soft bristles
- Polypropylene/Polyester



Rim Brush - Water Dip

Part No.	L x Ø (mm)	Temp
525352	335x65/40	100°C

- Water dip
- Soft bristles
- Polypropylene/Polyester



320mm Hand Brush

Part No.	HxWxD (mm)	Temp
524652	115x320x130	50°C

- Water dip
- 40mm soft bristles
- Polypropylene/Polyester



Insect Pad Holder

Part No.	HxWxD (mm)	Temp
55002	100x235x75	121°C

- Pad holder with swivel joint
- Polypropylene/Stainless steel
- Fits all Vikan poles



Insect Remover - Scourer Pad

Part No.	HxWxD (mm)	Temp
5525	30x245x115	100°C

- Polyester material
- ONLY TO BE USED ON GLASS

Wipe 'n' Shine - Water Remover

Part No.	HxWxD (mm)	Temp
707852	210x350x50	100°C
707952	210x450x50	100°C

- Soft rubber blade
- Fits all Vikan poles



Wipe 'n' Shine Water Remover

Part No.	HxWxD (mm)	Temp
707752	210x250x45	100°C

- 250mm wide
- Soft rubber blade
- Suitable for car body work & glass



Floor Squeegee

Part No.	HxWxD (mm)	Temp
708849	110x400x90	70°C
708869	115x600x90	70°C

- Oil resistant TPE rubber blade
- Fits all Vikan poles



Fixed Pole - Water Dip



Part No.	L x Ø (mm)	Temp
293752	1505 x 31	50°C

- Aluminium & Polypropylene construction
- Ergonomic handle with insulated grip

Fixed Pole - Water Dip



Part No.	L x Ø (mm)	Temp
292515552	1560 x 25	60°C

- Wood & Polypropylene construction

Extending Pole - Water Dip



Part No.	L x Ø (mm)	Temp
297552	1575 to 2800 x 32	50°C

- Aluminium & Polypropylene construction
- Ergonomic handle with insulated grip

Vikan Fixed Pole - Water Fed - Hose Barb



Part No.	L x Ø (mm)	Temp
299752	1935 x 31	50°C

- Water fed
- 1/2"-3/4" hose barb inlet
- Aluminium & Polypropylene

Vikan Extending Pole - Water Fed - Hose Barb



Part No.	L x Ø (mm)	Temp
297352	1615 to 2840 x 31	50°C

- Water fed
- 1/2"-3/4" hose barb inlet
- 6 Bar max pressure
- Aluminium & Polypropylene

Extending Pole - Water Fed - QR Connector



Part No.	L x Ø (mm)	Temp
297352Q	1600 to 2840 x 31	50°C

- Aluminium & Polypropylene construction
- Ergonomic water-fed handle with insulated grip and quick connector (Compatible with NITO 1/2" quick couplers only see page 285)

Fixed Pole - Water Fed - QR Connector



Part No.	L x Ø (mm)	Temp
299152Q	1545 x 31	50°C

- Aluminium & Polypropylene construction
- Ergonomic water-fed handle with insulated grip and quick connector (Compatible with NITO 1/2" quick couplers only see page 285)

Wash Brushes & Kits



Polypropylene Wash Brush

Part No.	Inlet
0201002000	1/4" BSPF

- Max press 5 Bar
- Max flow 12 Lpm
- Max Temp 30°C
- Polypropylene bristles
- Thermoplastic head

Natural Rotating Wash Brush



Part No.	Inlet
26.0010	1/4" BSPM

- Max press 30 Bar
- Max flow 30 Lpm
- Max Temp 30°C
- 100% natural bristles
- Gear driven brush head
- Thermoplastic head
- Fitted with 3mm nozzle



Synthetic Wash Brush

Part No.	Inlet
29.0545.00	1/4" BSPF
29.0540.00	1/2" BSPF

- Max press 5 Bar
- Max flow 40 Lpm
- Max Temp 60°C
- Synthetic bristles
- Soft rubber surround



Hog's Hair Wash Brush

Part No.	Inlet
26.0014	1/4" BSPF

- Max press 5 Bar
- Max flow 60 Lpm
- Max Temp 60°C
- 100% natural bristles - 90mm
- Thermoplastic head

Brush Tank - Wall or Floor Mounted



Part No.
28.3270.00

- Polyethylene construction
- 424W x 197D x 585H mm
- UV resistant
- Wall and floor fitting
- Water outlet plug
- Internal overflow pipe



Fixed Brush Kit

Part No.
8000-5202

- Car wash kit
- 2 aluminium extensions
- Angled nozzle head
- Hose fitting with tap
- Shampoo sticks
- Garden hose connector



Car Wash Kit

Part No.
8000-5224

- Car wash kit
- Small fixed brush
- Hose fitting with tap
- Garden hose connector



Shampoo Sticks

Part No.	Description
8000-5280	Shampoo Sticks

- 20 shampoo sticks
- For use with brush kits



Hoselock Converter

Part No.
070752

- 1/2" garden adaptor
- 1/2" Nito QR coupler
- 25 Bar max pressure
- -30° to 80°C working temperature
- Chrome plated brass



Foam Generators

Part No.	Lpm	Bar	Nozzle
29.060	13	250	1.5mm
21.0800.25	40	120	2.5mm

- 1/4" F in x 1/4" M tapered out
- Max temp 90°C
- For use with car wash brush